




Manufacturing of Orthopaedic Implants  
An ISO Certified & FDA Approved Company



## WELCOME TO **KRENILA ORTHO**

Krenila Ortho was started in 2010 with the single-minded focus to provide world class implants and instruments to our users. Since then, Krenila Ortho has come a long way. With a business that spans over to many countries, Krenila Ortho has now established a name for itself in the industry across the globe. We are driven by radical engineering and superior technology to help people with orthopedic imparities lead the most comfortable lives. Our product range spans from trauma, spine, and joint to hip replacement and instruments. We believe that our inclusive range of products, assertion on high quality, ingenious production, a wide network spread across to many countries and ever developing relations with stakeholders in the healthcare industry is the main reason behind Krenila Ortho's success in the fraternity of orthopedic implants and instruments.

### **Promoters :**

Krenila Ortho was formed in 2010, by Mr. Gothi with the view to provide world class healthcare to our clientele. Since then, under their guidance and leadership, Krenila Ortho has gone to become one of the market leaders for orthopedic implants and instruments in India.

### **Mission :**

Our mission is to get spread in health care technology and improve health disparities by as long as authentic, high quality and comprehensive products, achieved in a manner of fairness, honesty and corporate responsibility.

### **Vision :**

Krenila Ortho aims to bring spread in the field of orthopedic implants and develop products that aids healthcare professional treat their patients better. We also strive to create the perfect corporate environment where our investors, clients and users benefits. Krenila Ortho also aspires to be recognized as one of the leaders in the market for orthopedic implants.





**CORTICAL SCREW 2.7MM**  
(SELF TAPPING)

CAT. NO.	KBSS - 229	KBST - 229
Material	SS - 316L	Titanium
Size	2.7mm	
Length	6.00mm to 24.00mm (Diff. 2.0mm)	



**CANCELLOUS SCREW 4MM**  
(FULLY THREAD )

CAT. NO.	KBSS - 220	KBST - 220
Material	SS - 316L	Titanium
Size	4mm	
Length	25.0mm To 80.0mm (Diff. 5.0mm)	



**CANCELLOUS SCREW 3.5MM**  
(NON SELF TAPPING) (SELF TAPPING)

CAT. NO.	KBSS - 203	KBST - 203
Material	SS - 316L	Titanium
Size	3.5mm	
Length	10.0mm To 50.0mm (Diff. 2.0mm)	



**CANCELLOUS SCREW 6.5MM**  
(16MM THREAD)

CAT. NO.	KBSS - 218	KBST - 218 (I)
Material	SS - 316L	Titanium
Size	6.5mm	
Length	25.0mm To 120.0mm (Diff. 5.0mm)	



**CORTEX SCREW 3.5MM**  
(NON SELF TAPPING) (SELF TAPPING)

CAT. NO.	KBSS - 001	KBST - 204
Material	SS - 316L	Titanium
Size	3.5mm	
Length	10.0mm To 50.0mm (Diff. 2.0mm)	



**CANCELLOUS SCREW 6.5MM**  
(FULL THREAD)

CAT. NO.	KBSS - 218	KBST - 218(II)
Material	SS - 316L	Titanium
Size	6.5mm	
Length	25.0mm To 120.0mm (Diff. 5.0mm)	



**CORTEX SCREW 4.5MM**  
(NON SELF TAPPING) (SELF TAPPING)

CAT. NO.	KBSS - 205	KBST - 205
Material	SS - 316L	Titanium
Size	4.5mm	
Length	10.0mm To 70.0mm (Diff. 2.0mm)	



**CANCELLOUS SCREW 4MM**  
(16MM THREAD)

CAT. NO.	KBSS - 220	KBST - 220
Material	SS - 316L	Titanium
Size	4mm	
Length	10.0mm To 90.0mm (Diff. 5.0mm)	



**CANNULATED CANCELLOUS SCREWS 4.0MM**  
(16 MM THREAD)

CAT. NO.	KBSS - 217	KBST - 217
Material	SS - 316L	Titanium
Size	4mm	
Length	10.0mm To 75.0mm (Diff. 5.0mm)	



**LEG SCREW - PEN BOLT - 6.4MM**  
(PARTLY THREAD)

CAT. NO.	KBSS - 224	KBST - 224
Material	SS - 316L	Titanium
Size	6.4mm	
Length	50.0mm To 120.0mm (Diff. 5.0mm)	



**CANNULATED CENCELLOUS SCREW 6.5MM**  
(16MM THREAD)

CAT. NO.	KBSS - 219	KBST - 219
Material	SS - 316L	Titanium
Size	6.5mm	
Length	20.0mm To 120.0mm (Diff. 5.0mm)	





## MALLEOLAR SCREW 4.5MM

CAT. NO.	KBSS-221	KBST-221
Material	SS - 316L	Titanium
Size	4.5mm	
Length	25.0mm To 100.0mm (Diff. 5.0mm)	



## LEG SCREW-PFN BOLT 8MM

CAT. NO.	KBSS - 225	KBST - 225
Material	SS - 316L	Titanium
Size	8mm	
Length	50.0mm To 120.0mm (Diff. 5.0mm)	



## INTER LOCKING BOLT 3.9mm

CAT. NO.	KBSS - 226	KBST - 226
Material	SS - 316L	Titanium
Size	3.9mm	
Length	22mm to 60mm (Diff. 2.0mm)	



## LEG SCREW-DHS SCREW

CAT. NO.	KBSS - 209	KBST - 209
Material	SS - 316L	Titanium
Size	12.5mm	
Length	45.0mm To 105.0mm (Diff. 5.0mm)	



## WASHER

CAT. NO.	KBSS - 405	KBST - 405
Material	SS - 316L	Titanium
Size	Small, Big	
Length	Standard	



## ACL SCREW

CAT. NO.	KBSS - 240	KBST - 240
Material	SS - 316L	Titanium
Size	6.0mm, 7.0mm, 8.0mm, 9.0mm, 10.0mm, 11.0mm	
Length	20.0mm to 50.0mm (Diff. 5.0mm)	



## HERBERT BONE SCREWS 4.5mmX3.5mm (REGULAR)

CAT. NO.	KBSS - 405	KBST - 405
Material	SS - 316L	Titanium
Size	3.5mm	
Length	10mm to 90mm	



## INTER LOCKING BOLT 4.9mm

CAT. NO.	KBSS - 015	KBST - 015
Material	SS - 316L	Titanium
Size	4.9mm	
Length	22mm to 85mm (Diff. 2.0mm)	



## HERBERT MINI 3.5mmx2.5mm

CAT. NO.	KBSS - 231	KBST - 231
Material	SS - 316L	Titanium
Size	2.5mm	
Length	10mm to 30mm	



## INTER LOCKING BOLT 2.9mm

CAT. NO.	KBSS - 231	KBST - 231
Material	SS - 316L	Titanium
Size	2.9mm	
Length	16mm to 30mm & 32mm to 60mm	



# LOCKING BONE SCREW (TAPER THREAD)



## 2.7MM LCP CORTEX (TAPER THREAD)

CAT. NO.	KLSS - 222	KLST - 222
Material	SS - 316L	Titanium
Size	2.7mm	
Length	10mm to 40 mm	



## 6.5MM LCP CANCELLOUS (TAPER THREAD)

CAT. NO.	KLSS - 237	KLST - 237
Material	SS-316L	Titanium
Size	6.5MM	
Length	40mm to 120 mm (diff. 5 mm)	



## 3.5MM LCP CORTEX (TAPER THREAD)

CAT. NO.	KLSS - 215	KLST - 215
Material	SS - 316L	Titanium
Size	3.5MM	
Length	10mm to 60 mm (diff. 2 mm)	



## 3.5MM/4.0MM LCP CANCELLOUS (TAPER THREAD)

CAT. NO.	KLSS - 216	KLST - 216
Material	SS-316L	Titanium
Size	4.0MM	
Length	20mm to 80 mm (diff. 2mm)	



## 5.0MM LCP CORTEX (TAPER THREAD)

CAT. NO.	KLSS - 213	KLST - 213
Material	SS - 316L	Titanium
Size	5.0MM	
Length	20 to 80 mm (diff. 2 mm)	



## 5.0MM LCP CANCELLOUS (TAPER THREAD)

CAT. NO.	KLSS - 214	KLST - 214
Material	SS-316L	Titanium
Size	5.0MM	
Length	25mm to 100 mm (diff. 5mm)	



# LOCKING BONE SCREW

## (STRAIGHT THREAD)



### 2.7MM LCP CORTEX

(STRAIGHT THREAD)

CAT. NO.	KLSS - 234	KLST - 234
Material	SS - 316L	Titanium
Size	2.7mm	
Length	10 to 40 mm (diff. 2 mm)	



### 6.5MM LCP CANCELLOUS

(STRAIGHT THREAD)

CAT. NO.	KLSS - 228	KLST - 228
Material	SS-316L	Titanium
Size	6.5MM	
Length	40 to 120 mm (diff. 5 mm)	



### 3.8MM LCP CORTEX

(STRAIGHT THREAD)

CAT. NO.	KLSS - 207	KLST - 234
Material	SS - 316L	Titanium
Size	2.7mm	
Length	10 to 40 mm (diff. 2 mm)	



### 4.0MM LCP CANCELLOUS

(STRAIGHT THREAD)

CAT. NO.	KLSS - 227	KLST - 227
Material	SS-316L	Titanium
Size	4.0MM	
Length	20 to 80 mm (diff. 2mm)	



### 4.8MM LCP CORTEX

(STRAIGHT THREAD)


CAT. NO.	KLSS - 208	KLST - 208
Material	SS - 316L	Titanium
Size	4.8MM/5.0MM	
Length	20 to 80 mm (diff. 2 mm)	



### 5.0MM LCP CANCELLOUS

(STRAIGHT THREAD)

CAT. NO.	KLSS - 212	KLST - 212
Material	SS-316L	Titanium
Size	5.0MM	
Length	25 to 100 mm (diff. 5mm)	





**RECONSTRUCTION PLATE 4.5mm ROUND HOLE**

CAT. NO.	KBPS - 304	KBPT - 304
Material	SS - 316L	Titanium
Screwø	3.5mm	
Hole	4,5,6,7,8,9,10,11,12	



**L-BUTTRESS PLATE 4.5mm**

CAT. NO.	KBPS - 327	KBPT - 327
Material	SS - 316L	Titanium
Screwø	4.5mm & 6.5mm	
Hole	3,4,5,6,7,8,9,10,11,12	




**CONDYLAR BUTTERESS PLATE 4.5mm  
(LEFT & RIGHT)**

CAT. NO.	KBPS - 320	KBPT - 320
Material	SS - 316L	Titanium
Screwø	4.5 & 6.5 mm	
Hole	4,5,6,7,8,9,10,11,12,13,14,15,16	



**LATERAL TIBIA PLATE 4.5MM (HOCKEY)  
(LEFT & RIGHT)**

CAT. NO.	KBPS - 321	KBPT - 321
Material	SS - 316L	Titanium
Screwø	4.5 & 6.5 mm	
Hole	4,5,6,7,8,9,10,11,12,13,14,15,16	



**T-BUTTRESS PLATE 4.5mm**

CAT. NO.	KBPS - 326	KBPT - 326
Material	SS - 316L	Titanium
Screwø	4.5mm	
Hole	5,6,7,8,9,10,11,12,13,14,15,16,17,18	



**HIP PLATE R-HOLE 95°  
(ROUND HOLE)**

CAT. NO.	KBPS - 306	KBPT - 306
Material	SS - 316L	Titanium
Screwø	4.5mm, 6.5mm & 12.5mm	
Hole	2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18	




**HIP PLATE DC-HOLE 95° 1 + 2  
(DYNAMIC COMPRESSION)**

CAT. NO.	KBPS - 305	KBPT - 305
Material	SS - 316L	Titanium
Screwø	4.5mm, 6.5mm & 12.5mm	
Hole	2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18	



**RECONSTRUCTION PLATE D.C. HOLE 3.5MM**

CAT. NO.	KBPS - 331	KBPT - 331
Material	SS - 316L	Titanium
Screwø	3.5mm	
Hole	5 to 26 Holes (Diff. 1 hole)	



# BONE PLATE



**D.C. PLATE SMALL 3.5mm**

CAT. NO.	KBPS - 307	KBPT - 307
Material	SS - 316L	Titanium
Screwø	3.5mm	
Hole	4,5,6,7,8,9,10,11,12	



**L.C.D.C. PLATE SMALL 3.5mm**

CAT. NO.	KBPS - 310	KBPT - 310
Material	SS - 316L	Titanium
Screwø	3.5mm	
Hole	4,5,6,7,8,9,10,11,12	



**D.C. PLATE BROAD 4.5mm**

CAT. NO.	KBPS - 309	KBPT - 309
Material	SS - 316L	Titanium
Screwø	3.5mm	
Hole	5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20	



**RECONSTRUCTION PLATE 3.5mm ROUND HOLE**

CAT. NO.	KBPS - 304	KBPT - 304
Material	SS - 316L	Titanium
Screwø	3.5mm	
Hole	5 to 33 holes (Diff. 1 hole)	



**D.C. PLATE NARROW 4.5mm**

CAT. NO.	KBPS - 308	KBPT - 308
Material	SS - 316L	Titanium
Screwø	4.5mm	
Hole	4,5,6,7,8,9,10,11,12,13,14,15,16,17,18	



**L.C.D.C. PLATE NARROW 4.5mm**

CAT. NO.	KBPS - 343	KBPT - 343
Material	SS - 316L	Titanium
Screwø	4.5mm	
Hole	5,6,7,8,9,10,11,12,13,14,15,16,17,18	



**L.C.D.C. PLATE BROAD 4.5mm**

CAT. NO.	KBPS - 344	KBPT - 344
Material	SS - 316L	Titanium
Screwø	4.5 & 6.5 mm	
Hole	4,5,6,7,8,9,10,11,12,13,14,15,16,17,18	



**SMALL / OBLIQUE T PLATE 3.5mm**

CAT. NO.	KBPS - 315	KBPT - 315
Material	SS - 316L	Titanium
Screwø	3.5&4.0mm	
Hole	3,4,5,6,7,8,9,10,11,12	



**T-PLATE 4.5mm**

CAT. NO.	KBPS - 337	KBPT - 337
Material	SS - 316L	Titanium
Screwø	4.5mm & 6.5mm	
Hole	4,5,6,7,8,9,10,11,12	

# BONE PLATE



**HIP PLATE R-HOLE 125° to 150°**  
(ROUND HOLE)

CAT. NO.	KBPS - 302	KBPT - 302
Material	SS - 316L	Titanium
Screw∅	4.5mm & 12.5mm	
Hole	3,4,5,6,7,8,9, 10,11,12,13,14,15,16,17,18	



**HIP PLATE DC-HOLE 125° to 150°**  
(DYNAMIC COMPRESSION)

CAT. NO.	KBPS - 301	KBPT - 301
Material	4.5mm	4.9mm
Screw∅	OLTS SCREWS	
Hole	3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18	




**RECONSTRUCTION PLATE D.C. HOLE 4.5MM**

CAT. NO.	KBPS - 036	KBPT - 036
Material	SS - 316L	Titanium
Screw∅	4.5mm	
Hole	5 to 26 Holes (Diff. 1 hole)	



**ONE THIRD TUBLER PLATE 3.5MM**

CAT. NO.	KBPS - 037	KBPT - 037
Material	SS 316L	Titanium
Screw∅	3.5 mm	
Hole	5 Hole to 18 Hole	



# LOCKING PLATE



## Proximal Humerus Internal Locking System (PHILOS)

CAT. NO.	KLPS - 325	KLPT - 325
Material	SS - 316L	Titanium
Screwø	3.5, 4.0mm	
Hole	2,3,4,5,6,7,8,9,10,11,12	



## DISTAL HUMERUS LATERAL PLATE LOCKING (L/R)

CAT. NO.	KLPS - 223	KLPT - 223
Material	SS - 316L	Titanium
Screwø	3.5,4mm	
Hole	3,5,7,9,14	



## ANTERO LATERAL DISTAL TIBIA PLATE LOCKING (L/R)

CAT. NO.	KLPS - 341	KLPT - 341
Material	SS - 316L	Titanium
Screwø	3.5,4mm	
Hole	4,5,6,7,8,9,10,11,12	



## DISTAL MEDIAL TIBIA PLATE LOCKING PLATE LOCKING (1/R)

CAT. NO.	KLPS-324	KLPT-324
Material	SS - 316L	Titanium
Screwø	3.5,4mm	
Hole	3,5,7,9,14	



## DISTAL HUMERUS MEDIAL PLATE LOCKING (L/R)

CAT. NO.	KLPS -060 & 061	KLPT - 323
Material	SS - 316L	Titanium
Screwø	3.5, 4mm	
Hole	3,5,7,9,14	



## CLAVICLE HOOK LOCKING PLATE (L/R)

CAT. NO.	KLP - 011 & 072	KLPT - 011 & 072
Material	SS - 316L	Titanium
Screwø	3.5,4.0mm	
Hole	2,3,4,5,6,7,8	



## HIP LOCKING PLATE 95°

CAT. NO.	KLP - 306	KLPT - 306
Material	SS-316L	Titanium
Screwø	4.5, 5.0, 6.5mm	
Hole	4,5,6,7,8,9,10,11,12	



## CALCANIUS LOCKING PLATE

CAT. NO.	KLPS - 074	KLPT - 074
Material	SS-316L	Titanium
Screwø	3.5, 4.0mm	
Hole	Small, Medium, Large	



## VOLAR EXTRA ARTICULAR LOCKING PLATE (L/R)

CAT. NO.	KLPS - 065&066	KLPT - 065&066
Material	SS-316L	Titanium
Screwø	2.4, 2.7mm	
Hole	5 X 4 Hole	



## CALCANIUS PLATE LOCKING (S,M,L)

CAT. NO.	KLPS- 067&068	KLPT - 067&068
Material	SS-316L	Titanium
Screwø	2.4, 2.7mm	
Hole	5 X4 Hole	

# LOCKING PLATE



**SMALL PLATE LOCKING 3.5mm**

CAT. NO.	KLPS - 310	KLPT - 310
Material	SS - 316L	Titanium
Screwø	3.5, 4.0mm	
Hole	3, 4, 5, 6, 7, 8, 9, 10, 11, 12	



**NARROW PLATE LOCKING 4.5mm**

CAT. NO.	KLPS - 311	KLPT - 311
Material	SS - 316L	Titanium
Screwø	4.5, 5.0mm	
Hole	3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18	




**BROAD PLATE LOCKING 4.5mm**

CAT. NO.	KLPS-312	KLPT-312
Material	SS - 316L	Titanium
Screwø	4.5, 5.0mm	
Hole	3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18	



**RECONSTRUCTION PLATE LOCKING 3.5mm**

CAT. NO.	KLPS - 328	KLPT - 328
Material	SS - 316L	Titanium
Screwø	3.5, 4.0mm	
Hole	6, 7, 8, 9, 10, 11, 12	



**SMALL OBLIQUE T PLATE LOCKING 3.5mm (LEFT)**

CAT. NO.	KLPS - 006	KLPT - 006
Material	SS - 316L	Titanium
Screwø	3.5 & 4.0 mm screw	
Hole	3, 4, 5, 6, 7, 8	



**L BUTTRESS PLATE LOCKING 4.5mm (L/R)**

CAT. NO.	KLPS - 318	KLPT - 318
Material	SS-316L	Titanium
Screwø	5.0mm	
Hole	2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12	



**T BUTTRESS PLATE LOCKING 4.5mm**

CAT. NO.	KLPS - 317	KLPT - 317
Material	SS-316L	Titanium
Screwø	4.5, 5.0mm	
Hole	2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12	



**DISTAL FEMUR PLATE LOCKING (L/R)**

CAT. NO.	KLPS - 322	KLPT - 322
Material	SS-316L	Titanium
Screwø	4.5, 5.0mm & 6.5mm	
Hole	3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16	



# LOCKING PLATE



## LATERAL TIBIA PLATE LOCKING (L/R)

CAT. NO.	KLPS-321	KLPT-321
Material	SS - 316L	Titanium
Screwø	4.5, 5.0mm & 6.5mm	
Hole	4,5,6,7,8,9,10,11,12,13,14,15,16	



## PROXIMAL HUMEROUS PLATE LOCKING

CAT. NO.	KLPS-330	KLPT-330
Material	SS - 316L	Titanium
Screwø	3.5 & 4.0 mm	
Hole	3,4,5,6,7,8,9,10	



## DISTAL TIBIA PLATE (ADM PLATE) LOCKING (L/R)

CAT. NO.	KLPS- 037 & 038	KLPT-037 & 038
Material	SS - 316L	Titanium
Screwø	3.5, 4.5, 4, 5.0mm	
Hole	3,4,5,6,7,8,9,10,11,12	



## DISTAL MEDIAL TIBIA PLATE LOCKING (METAFICIAL PLATE) (L/R)

CAT. NO.	KLPS-004	KLPT-324
Material	SS - 316L	Titanium
Screwø	3.5, 4.0mm	
Hole	6,7,8,9,10,11,12	



## HIP PLATE LOCKING (120°,125°,130°,135°,140°,145°,150°)

CAT. NO.	KLPS-303	KLPT-303
Material	SS - 316L	Titanium
Screwø	4.5mm, 6mm LP, OITS Screw	
Hole	4,5,6,7,8,9,10,11,12	



## LOW PROFILE PROXIMAL TIBIA PLATE LOCKING (L/R)

CAT. NO.	KLPS-069 & 070	KLPT-069 & 070
Material	SS - 316L	Titanium
Screwø	3.5, 4mm	
Hole	4,5,6,7,8,9,10,11,12	



## PROXIMAL FEMURAL PLATE LOCKING (L/R)

CAT. NO.	KLPS - 045 & 046	KLPT - 045 & 046
Material	SS-316L	Titanium
Screwø	4.5, 6.5mm & 5.0mm	
Hole	4,5,6,7,8,9,10,11,12	



## RECONSTRUCTION PLATE 4.5MM

CAT. NO.	KLPS-328	KLPT-328
Material	SS-316L	Titanium
Screwø	4.5, 5.0mm	
Hole	5,6,7,8,9, 10,11,12,13,14,15,16	



## CLEVICAL PLATE LOCKING (L/R)

CAT. NO.	KLPS-316	KLPT-316
Material	SS-316L	Titanium
Screwø	3.5, 4.0mm	
Hole	3,4,5,6,7,8,9,10,11,12	





**INTER LOCKING NAIL TIBIA**

CAT. NO.	KNS - 502	KNST - 502
Material	SS - 316L	Titanium
Diaø	8,9,10,11,12mm	
Size	26cm to 40cm (Diff. 2.0 cm)	



**INTER LOCKING NAIL FEMUR**

CAT. NO.	KNS - 503	KNST - 503
Material	SS - 316L	Titanium
Diaø	9,10,11,12,Bmm	
Size	26cm to 44cm (Diff. 2.0 cm)	



**INTER LOCKING NAIL SHORT T.F. N. (130°,135°)**

CAT. NO.	KNS - 504	KNST - 504
Material	SS - 316L	Titanium
Diaø	9,10,11,12,13mm	
Size	180mm	



**INTER LOCKING NAIL SHORT P.F.N. { 130°, 135° }**

CAT. NO.	KNS - 505	KNST-505
Material	SS-316L	Titanium
Diaø	9,10,11,12,13mm	
Size	250mm	



**INTER LOCKING NAIL P.F.N. (Left) (130°, 135°)**

CAT. NO.	KNS - 506	KNST - 506
Material	SS - 316L	Titanium
Diaø	9,10,11,12	
Size	32 to 44 cm (diff. 2cm)	



**INTER LOCKING NAIL P.F.N. (RIGHT) (130°, 135°)**

CAT. NO.	KNS - 506	KNST - 506
Material	SS-316L	Titanium
Diaø	9,10,11,12	
Size	32 to 44 cm (diff. 2cm)	



**INTER LOCKING NAIL HUMERUS**

CAT. NO.	KNS - 507	KNST - 507
Material	SS - 316L	Titanium
Diaø	6,7,8	
Size	14 to 30 cm (diff. 1 cm)	


**INTER LOCING NAIL XPERT TIBIA**

CAT. NO.	KNS - 508	KNST - 508
Material	SS-316L	Titanium
Diaø	8,9, 10, 11, 12mm	
Size	26 to 44 cm (diff. 2cm)	



**INTER LOCKING NAIL HUMERUS**

CAT. NO.	KNS-025 & 0_30	KNST-025 & 030
Material	SS - 316L	Titanium
Diaø	1.5mm to 5.0mm (Diff 0.5mm)	
Size	16 to 40 cm (Diff. 1 cm)	




**INTER LOCING NAIL XPERT TIBIA**

CAT. NO.	KNS-031 & 035	KNST-031 & 035
Material	SS-316L	Titanium
Diaø	1.5mm to 4.5mm (Diff 0.5mm)	
Size	16 to 32 cm (Diff. 1 cm)	



## SQUARE NAIL RADIUS

CAT. NO.	KNSS - 403	KNST - 403
Material	SS - 316L	Titanium
Diaø	1.5mm to 4.5mm (Diff 0.5mm)	
Size	16 to 32 cm (Diff. 1 cm)	




## SQUARE NAIL ULNA

CAT. NO.	KNS - 403	KNST - 403
Material	SS - 316L	Titanium
Diaø	1.5mm to 4.5mm (Diff 0.5mm)	
Size	16 to 32 cm (Diff. 1 cm)	



## ELASTIC NAIL

CAT. NO.	KNS - 401	KNST - 401
Material	SS - 316L	Titanium
Diaø	1,5, 2, 2,5, 3, 3,5,4,0,4,5,5,0mm	
Size	44'c m 'S tandard	



## ENDER'S NAIL

CAT. NO.	KNSS - 410	KNST-410
Material	SS - 316L	Titanium
Diaø	1.5mm to 5.0mm (Diff 0.5mm)	
Size	16 to 40 cm (Diff. 1 cm)	



## RUSH NAIL

CAT. NO.	KNS - 402	KNST - 402
Material	SS-316L	Titanium
Diaø	1.5mm to 8mm (Diff 0.5mm)	
Size	16 to 36 cm (Diff. 1 cm)	



## INTERLOCKING NAIL RECONSTRUCTION

CAT. NO.	KNS - 051	KNST - 051
Material	SS-316L	Titanium
Diaø	9,10,11,12,13mm	
Size	26 to 44 cm (diff. 2cm)	





## AUSTIN MORE (AMP) PROSTHESES

CAT. NO.	KHSS - 701
Material	SS - 316L
Dia	37.0mm to 55.0mm(diff. 2.0mm)



## THOMPSON HIP PROSTHESIS

CAT. NO.	KHSS - 702
Material	SS - 316L
Dia	37.0mm to 55.0mm(diff. 2.0mm)



## BIPOLAR (CEMENTED & NON CEMENTED)

CAT. NO.	KHSS - 703
Material	SS - 316L
Dia	37.0mm to 55.0mm(diff. 2.0mm)





## SCHANZ SCREW

CAT. NO.	KWP - 408
Material	SS - 316L
Size	1.5mm to 4mm
Length	4", 5", 6"



## CANCELLOUS SCHANZ SCREW 4.5mm

CAT. NO.	KWP - 009 & 010
Material	SS - 316L
Size	4.5mm
Length	25 & 32mm thread 7' to 10"



## TAPER SCHANZ SCREW 6.5mm

CAT. NO.	KWP - 034
Material	SS - 316L
Size	6.5 mm
Length	7' to 10"



## K-WIRE

CAT. NO.	KWP - 404	KWPT - 404
Material	SS - 316L	Titanium
Dia	1.0 , 1.2, 1.5, 1.8, 2.0, 2.5, 3.0, 3.5, 4.0, 4.5mm	
Length	4', 6', 9', 12'	



## DEMHAM PIN 9"

CAT. NO.	KWP - 411
Material	SS - 316L
Size	1.5mm to 4mm
Length	4", 5", 6"



## K-WIRE THREADED

CAT. NO.	KWP-407	KWPT - 407
Material	SS - 316L	Titanium
Dia	1.0, 1.5, 2.0, 2.5, 3.0mm	
Length	6", 9", 12"	



## TENTION K-WIRE

CAT. NO.	KWP- 073	KLPT - 073
Material	SS-316L	Titanium
Screwø	4.5, 5.0, 6.5mm	
Hole	4,5,6,7,8,9,10,11,12	



## OLIVE WIRE

CAT. NO.	KWP - 031
Material	SS-316L
Size	1.8mm
Length	16"



## S.S WIRE RILL

CAT. NO.	KWP - 027	KWPT - 027
Material	SS-316L	Titanium
Size	16, 18, 20, 22, 24, 26, 28, 30 swg	



## STEINMANN PIN

CAT. NO.	KWP - 406
Material	SS - 316L
Dia	3.0, 3.5, 4.0, 4.5, 5.0, 5.5mm
Length	4", 6", 9"



**A.O. CLAMP (SINGLE PINE)**

CAT. NO.	KEF - 801
Material	SS - 304
Size	4.5mm x 11mm



**A.O. CLAMP (DOUBLE PINE)**

CAT. NO.	KEF - 801
Material	SS - 304
Size	4.5mm x 11mm



**A.O. CLAMP (MINI)**

CAT. NO.	KEF - 001-003
Material	SS - 304
Size	2.5mm x 4mm



**CONNECTING ROD 4mm**

CAT. NO.	KEF - 804
Material	SS - 304
Size	4mm
Length	100,150,200,250,300,350,400mm



**A.O. CLAMP (MINI)**

CAT. NO.	KEF - 001-004
Material	SS - 304
Size	4mmx4mm



**ESCULAP CLAMP**

CAT. NO.	KEF - 002-001
Material	SS - 304
Size	2.5mmx4mm



**ESCULAP CLAMP**

CAT. NO.	KEF - 002-002
Material	SS - 304
Size	4mmx4mm



**TU BE TO TUBE CLAMP**

CAT. NO.	KEF-003-001
Material	SS - 304
Size	11 mm x 11 mm



**CONNECTION ROD 11mm**

CAT. NO.	KEF - 804
Material	SS - 304
Size	11mm
Length	100, 150,200,250,300,350,400,450mm



**HALF RING**

CAT. NO.	KEF - 807
Material	SS - 304
Size	80,100,120,140,160, 180,200,220,240mm



**T-CLAMP**

CAT. NO.	KEF - 004-001
Material	SS-304
Screw∅	4.5mm x 11 mm x 4.5mm



**RAIL FIXETOR WITH CLAM**

CAT. NO.	VEF - 008
Material	Aluminum
Screw∅	Small, Medium, Large



**UNIVERSAL JOINT FOR 2 ROD**

CAT. NO.	KEF - 013
Material	SS - 304

**NOTE :**



A series of horizontal dotted lines for writing, spanning the width of the page.



Address :

18/1, Tirupti Industrial Park, Rajkot - Gondal Highway,  
Bhunava Chokadi, Nr. Patel Protins, Hadamtala,  
Tal-Kotda Sangani, Rajkot – 360 311, Gujarat India.



Telephone No.: 91069 20306

Mobile No.: 97266 74874, 8460 342138

Website : [www.krenilaortho.com](http://www.krenilaortho.com)

E-mail – [krenilaortho11@gmail.com](mailto:krenilaortho11@gmail.com)